



NC Sturgeon Safety Management System			Doc No:	ENGNWSTE
			Initial Issue Date	02/2016
ENVIRONMENTAL – GENERAL WASTE MANAGEMENT			Revision Date:	Initial Version
			Revision No.	0
			Next Revision Date:	TBD
Preparation: Safety Mgr	Authority: President	Issuing Dept: Safety	Page:	Page 1 of 6

Purpose

The purpose of this waste management strategy was developed to provide guidance and requirements necessary for efficient, effective and compliant waste management during construction and operations.

Scope

This procedure applies to all NC Sturgeon employees. When work is performed on a non-owned or operated site, the operator's program shall take precedence, however, this document covers NC Sturgeon employees and contractors and shall be used on owned premises, or when an operator's program doesn't exist or is less stringent.

Procedure

The NC Sturgeon Safety Manager or other designated person in his or her absence is assigned the responsibility for proper waste or scrap materials.

Waste Estimation

Each work site will estimate the waste that will be generated prior to work being performed so the need for containers and waste removal, if necessary, can be determined.

Each site will utilize the following for planning of dumpster scheduling and total non-hazardous dry waste material. These figures do not include neither recycling nor waste minimization efforts and reflect no use of an incinerator. Dumpster figures are based on a 40 yard container and can be modified if another size is used by changing the table below.

SAMPLE ONLY - SOLID WASTE						
	Number of Employees	10	25	35	50	100
Total Estimated Square Feet of Waste (@ 0.675 cu ft per person daily)						
Daily		7	17	24	34	68
Weekly		47	118	165	236	473
Monthly (4.33 wks)		205	511	716	1,023	2,046
Annual		2,455	6,138	8,593	12,276	24,551
Total Estimated Weight of Waste (@ 4lb per person daily)						
Daily		40	100	140	200	400
Weekly		280	700	980	1,400	2,800
Monthly (4.33 wks)		1,212	3,031	4,243	6,062	12,124
Annual		14,549	36,372	50,921	72,744	145,488
Number of Total Dumpster Fills 40 yard dumpster 7x8x22 = 1,232 square feet						
Daily		0.0	0.0	0.0	0.0	0.1
Weekly		0.0	0.1	0.1	0.2	0.4
Monthly (4.33 wks)		0.2	0.4	0.6	0.8	1.7
Annual		2.0	5.0	7.0	10.0	19.9

NC Sturgeon must coordinate with the project site or owner to ensure proper disposal of wastes or scrap materials.

NC Sturgeon must ensure the owner client is aware of whether wastes and scrap materials will be taken off site by NC Sturgeon or will be disposed of on the owner client's site.



NC Sturgeon Safety Management System			Doc No:	ENGNWSTE
			Initial Issue Date	02/2016
ENVIRONMENTAL – GENERAL WASTE MANAGEMENT			Revision Date:	Initial Version
			Revision No.	0
			Next Revision Date:	TBD
Preparation: Safety Mgr	Authority: President	Issuing Dept: Safety	Page:	Page 2 of 6

Waste Segregation

- Do not mix waste streams
- Only place waste in the designated container, satellite accumulation area (SAA), recyclable accumulation area (RSS), universal waste accumulation area (UWAA) or designated dumpster.

Recycling

The collection of recycled material will reduce the total load on the environment. Bins of sufficient size must be lined with a plastic bag and clearly labeled for use. Posters from NC Sturgeon will be posted throughout the work site to encourage recycling. Collection bins will also be placed in administrative areas will follow the following color guiding:

- Blue - Paper
- Green - Aluminum cans
- Yellow - Plastic

Cardboard will be flattened, staples and excess shipping tape removed. No cardboard shall be placed in the dumpster used for the landfill.

Waste Handling Matrix

Each work site will develop a Waste Handling Matrix (sample shown) that will:

- Address safe practices related to the immediate storage and handling of waste, scrap or leftover material.
- The handling, organization and storage of waste and scrap materials to minimize potential impact to the environment. Waste materials shall be properly stored and handled to minimize the potential for a spill or impact to the environment. During outdoor activities receptacles must b4e covered to prevent dispersion of waste materials and to control the potential for runoff.

Waste Stream	Location	Activity Generating Waste	Hazardous/Non Hazardous	Safe Storage Practice	Disposal Method	PPE or Other Precautions
Aerosol Can Contents	Equipment Repair Shop	Puncturing of aerosol cans	Hazardous	SAA is self-contained in the equipment repair shop	Ship to assigned site for recycling or disposal	Read warnings before use of Aerosolv unit.
Aerosol Can Puncturing Unit Filter	Equipment Repair Shop	Filter Changes	Hazardous	Place in designated labeled container	Ship to assigned site for recycling or disposal	Change filter every 3 months
Aerosol Cans	Various Locations	Painting, lubricants, cleaning	Non-Hazardous if aerosol can is punctured and drained	Place punctured aerosol can in RAA storage drum	Crush RAA storage drum and place in the scrap metal dumpster from client.	See "Scrap Metal" for waste stream management
Ash	Smart Ash Unit	Incineration of acceptable waste	Non Hazardous	Dispose of Immediately	Place in the Burnable Waste Dumpster	Gloves Goggles



NC Sturgeon Safety Management System	Doc No:	ENGNWSTE
	Initial Issue Date	02/2016
	Revision Date:	Initial Version
	Revision No.	0

ENVIRONMENTAL – GENERAL WASTE MANAGEMENT			Next Revision Date:	TBD
Preparation: Safety Mgr	Authority: President	Issuing Dept: Safety	Page:	Page 3 of 6

Waste Stream	Location	Activity Generating Waste	Hazardous/Non Hazardous	Safe Storage Practice	Disposal Method	PPE or Other Precautions
Automotive and Heavy Equipment Parts-Used	Equipment Repair Shop and Fab Shop	Replacement	Non-Hazardous	RAA's by equipment repair shop	Returned to vendors for recycling	Starters, Alternators, Pumps, Transmissions
Batteries (Alkaline)	Various Locations	Battery Failures	Universal Waste	Place in the UWAA in the equipment repair shop	"D" cell and below are acceptable in the Non-Burnable Waste Dumpster	Ship to designated site for recycling or disposal
Batteries (Lead Acid)	Equipment Repair Shop and Fab Shop	Battery Failures	Universal Waste	No storage allowed. Containment boxes are labeled and available in the shops.	Lead acid batteries are returned to the Vendor upon removal	Ship to designated site for recycling
Batteries (Nicad)	Various Locations	Battery Failures	Universal Waste	UWAA in the equipment repair shop.	Ship to assigned site for recycling or disposal	Cell phones, radios
Butane Torch Bottle	Various Locations	Mechanic activities	Excluded Hazardous if recycled	Place drained Butane Torch Bottles in RAA storage drum	Crush RAA storage drum and place in the scrap metal dumpster	Prosolv Butane Bottle processor I
Cardboard/Office Paper	Parts Department & Offices	Shipping Boxes & Office Activities	Non-Hazardous	RAA in the Hog Barn	Place on pallet in RAA and band for shipment to assigned site for recycling.	
Computers Discarded	Parts Department & Offices	Replacement	Non-Hazardous	Place in RAA @ EMS Conex	Ship to assigned site for recycling or disposal	
Diesel Filters-Used	Equipment Repair Shop and Fab Shop	Filter Changes	Non-Hazardous	RAA for drained and crushed used filters	Drain for 12 hrs., crush and incinerate in Smart Ash unit	Place metal in recycle metal dumpster
Diesel Rags	Various Locations	Mechanic activities	Non-Hazardous	Oily waste rag in clear bags w/yellow stripes.	Incinerated in Smart Ash unit	See "Ash" for management and disposal



NC Sturgeon Safety Management System	Doc No:	ENGNWSTE
	Initial Issue Date	02/2016
	Revision Date:	Initial Version
	Revision No.	0

ENVIRONMENTAL – GENERAL WASTE MANAGEMENT			Next Revision Date:	TBD
Preparation: Safety Mgr	Authority: President	Issuing Dept: Safety	Page:	Page 4 of 6

Waste Stream	Location	Activity Generating Waste	Hazardous/Non Hazardous	Safe Storage Practice	Disposal Method	PPE or Other Precautions
Drained Diesel	Equipment Repair and Fab Shop	Draining diesel fuel and filters	Non-Hazardous when burned as off-Spec fuel	Place in "used oil" tank in the equipment repair shop and fab shop.	Burned for energy recovery in our clean burn multi-oil heating system.	
Empty Paint Cans	Various Locations	Painting activities	Non-Hazardous	No storage allowed	Ship to assigned site for recycling or disposal	Paint cans must be RCRA empty.
Fluorescent Light Ballast	Various Locations	Failure	Non-Hazardous unless they contain PCB's or DEHP	None	Place in Non-Burnable Dumpster	Ballast will say on the label if it contains PCB's
Fluorescent Light Bulbs	Shops, Office Areas	Bulb replacement	Universal Waste	Place bulbs in their original container in the RAA in the EMS Conex	Ship to assigned site for recycling or disposal	Label bulbs "Used Bulb" when put into RAA.
Glass	Various Locations	Replacement	Non-Hazardous	None	Place in Non-Burnable Dumpster	Ensure glass containers are empty.
Glycol Rags	Equipment Repair Shop and Fab Shop	Fluid Changes	Non-Hazardous	Oily waste rag WAA's lined w/clear bags w/yellow stripes.	Incinerated in Smart Ash unit	Minimize use of absorbent rags
Glycol-Used	Equipment Repair Shop and Fab Shop	Fluid Changes	Non-Hazardous	RAA - self contained tank on recycling unit	Recycled in glycol recycling unit	Recycling unit stored in Equipment Repair Shop
Grinding Wheels	Equipment Repair Shop and Fab Shop	Grinding activities	Non-Hazardous	None	Place in Non-Burnable Dumpster	
Hoses & Belts	Equipment Repair Shop and Fab Shop	Replacement	Non-Hazardous	Place in Non-Burnable Dumpster of NSB or into the Oily Waste WAA's	Place in Non-Burnable Dumpster	Drain all fluids from hoses
Metal Shavings/Cuttings	Equipment Repair Shop and Fab Shop	Fabricating activities	Excluded Hazardous if recycled	Placed in recycle metal dumpster or metal only RAA's	Place in recycle metal dumpster	Ensure there are no free flowing cutting fluids present before disposal.



NC Sturgeon Safety Management System		Doc No:	ENGNWSTE	
		Initial Issue Date	02/2016	
		Revision Date:	Initial Version	
		Revision No.	0	
ENVIRONMENTAL – GENERAL WASTE MANAGEMENT		Next Revision Date:	TBD	
		Preparation: Safety Mgr	Authority: President	Issuing Dept: Safety

Waste Stream	Location	Activity Generating Waste	Hazardous/Non Hazardous	Safe Storage Practice	Disposal Method	PPE or Other Precautions
Oil Filters-Used	Equipment Repair Shop and Fab Shop	Oil filter changes	Excluded Hazardous	RAA for drained and crushed used filters	Drain for 12 hrs., crush and incinerate in Smart Ash unit	Place metal in recycle metal dumpster
Oil-Used	Equipment Repair Shop, Fab Shop, Service Trucks	Draining oil and filters	Excluded Hazardous if burned for energy recovery	Receiving sumps are located in the Equipment Repair Shop and Fab Shop	Burned for energy recovery in clean burn multi-oil heating system.	Keep lids on receiving sumps at all times. DO NOT PUT SOLVENTS INTO USED OIL
Oily Waste (rags, absorbents)	Various Locations	Mechanic activities, equipment drips and leaks	Non-Hazardous	Oily waste rag WAA's lined w/clear bags w/yellow stripes.	Incinerated in Smart Ash unit	Collected daily. See "Ash" for management and disposal
Paint Waste (rags, rollers, brushes, etc.)	Various Locations	Painting activities	Determine on per occurrence basis. Use MSDS or testing	If hazardous, store in the assigned area. If non-hazardous, no storage is required.	If hazardous, ship to assigned site for disposal. If non-hazardous, place in burnable waste dumpster.	Need to review MSDS, do analytical test, or use generator knowledge to make waste determinations.
Parts Cleaner Rags	Equipment Repair Shop	Cleaning parts	Non-Hazardous	Oily waste rag WAA's lined w/clear bags w/yellow stripes.	Incinerated in Smart Ash unit	See "Ash" for management and disposal
Scrap Metal	Various Locations	Fabrication activities & house cleaning	Excluded Hazardous if recycled	Placed in recycle metal dumpster or metal only RAA's	Place in recycle metal dumpster	Eye Protection Gloves
Sodium Vapor/ Metal Halide Light Bulbs	Various Locations	Bulb replacement	Universal Waste	Place bulbs in their original container in the RAA.	Ship to assigned site for recycling or disposal	Label bulbs "Used Bulb" when put into RAA.
Tires	Various Locations	Replacement	Non-Hazardous	None	Place tires up to 20" rim diameter into dumpster.	



NC Sturgeon Safety Management System			Doc No:	ENGNWSTE
			Initial Issue Date	02/2016
ENVIRONMENTAL – GENERAL WASTE MANAGEMENT			Revision Date:	Initial Version
			Revision No.	0
			Next Revision Date:	TBD
Preparation: Safety Mgr	Authority: President	Issuing Dept: Safety	Page:	Page 6 of 6

Waste Stream	Location	Activity Generating Waste	Hazardous/Non Hazardous	Safe Storage Practice	Disposal Method	PPE or Other Precautions
Toner Cartridges	Offices	Copiers, printers, fax machines	Non-Hazardous	Placed in original container in RAA	Ship to assigned site for recycling or disposal	Verify toner is expended before disposal.
Water Scrubber Filter & Absorbents	Equipment Repair Shop and Fab Shop	Filtering sump water in shops	Non-Hazardous	None	Incinerated in Smart Ash unit	See "Ash" for management and disposal
Welding Rods	Various Locations	Welding activities	Excluded Hazardous	Placed in recycle metal dumpster or metal only RAA's	Ship to assigned site for recycling or disposal	See "Scrap Metal" for waste stream management
Wood Waste	Various Locations	Various activities and shipping pallets	Non-Hazardous	Store on the far back corner of the pad or in the dump truck box if available.	Place in recycle wood dumpster	Pallets are refurbished and recycled when possible

Storage Requirements

NC Sturgeon must ensure project related wastes are stored and maintained in an organized fashion to encourage proper disposal and minimize risks to employees. Proper waste receptacles must be provided for trash and materials that may be reused or recycled during a project.

Education and Training

Employees shall be instructed on the proper disposal method of wastes. Examples include:

- General instruction on disposal of non-hazardous wastes, trash or scrap materials
- Minimization methods to reduce waste
- Recycling methods
- If wastes generated are hazardous then employees shall be trained to ensure proper disposal and compliance with regulations.